

# VIEWSONIC Projector Products

Information correct from 1st March 2014

**ViewSonic®**  
See the difference™ 

## VALUE PROJECTORS



PJD5132



PJD5134



PJD5232



PJD5234L



PJD5234



PJD5533W

### Product Specification

Resolution	SVGA (800 x 600)	SVGA (800 x 600)	XGA (1024 x 768)	XGA (1024 x 768)	XGA (1024 x 768)	WXGA (1280 x 800)
Brightness	3,000 lm	3,000 lm	2,800 lm	3,000 lm	2,800 lm	3,000 lm
Contrast (w/ DCR)	15,000:1	15,000:1	15,000:1	15,000:1	15,000:1	15,000:1
Lamp Hour (Norm/ECO/DynamicEco)	5,000 / 6,000 / 10,000	5,000 / 6,000 / 10,000	5,000 / 6,000 / 10,000	5,000 / 6,000 / 10,000	4,500 / 6,000 / 8,000	5,000 / 6,000 / 10,000
Throw Ratio (Wide - Tele)	1.86 - 2.04	1.86 - 2.04	1.97 - 2.17	1.86 - 2.04	1.97 - 2.17	1.5 - 1.65
Optical Zoom	1.1x	1.1x	1.1x	1.1x	1.1x	1.1x
Digital Zoom	2.0x	2.0x	2.0x	2.0x	2.0x	2.0x
Screen size	24" - 300"	24" - 300"	24" - 300"	24" - 300"	24" - 300"	28" - 300"
Projection Offset	120% +/- 5%	120% +/- 5%	130% +/- 10%	120% +/- 5%	130% +/- 10%	100% +/- 5%
Keystone (Vertical)	+/- 40°	+/- 40°	+/- 40°	+/- 40°	+/- 40°	+/- 40°
Noise min (Normal/Eco)	32dB / 29dB	32dB / 29dB	32dB / 29dB	32dB / 29dB	32dB / 29dB	32dB / 29dB
Speaker	2W x 1	2W x 1	2W x 1	2W x 1	2W x 1	2W x 1

### Input

RGB-in	2	2	2	2	2	2
Component Input	shared with RGB-in	shared with RGB-in	shared with RGB-in	shared with RGB-in	shared with RGB-in	shared with RGB-in
S-Video	1	1	1	1	1	1
Composite Input	1	1	1	1	1	1
Microphone in (3.5mm)	NA	NA	NA	NA	NA	NA
Audio-in (3.5mm)	1	1	2	1	2	1
Audio-in (RCA) (pair)	NA	NA	NA	NA	NA	NA
USB Type A	NA	NA	NA	NA	NA	NA
USB Type B (mouse control via PC)	NA	NA	1 (FW upgrade, mouse)	NA	1 (FW upgrade, mouse)	NA
Mini USB	1 (FW upgrade, mouse)	1 (FW upgrade, mouse)	NA	1 (FW upgrade, mouse)	NA	1 (FW upgrade, mouse)
HDMI Input	NA	HDMI (1.4) x 1	NA	NA	HDMI (1.4) x 1	HDMI (1.4) x 1
SD Card reader	NA	NA	NA	NA	NA	NA

### Output

RGB-out	1	1	1	1	1	1
Audio-out (3.5mm)	1	1	1	1	1	1

### Control

RS232 (9 pin)	1	1	1	1	1	1
Network Management (RJ45)	NA	NA	NA	NA	NA	NA
12V Power Trigger	NA	NA	NA	NA	NA	NA

### Features

3D Compatible	Yes	Yes	Yes	Yes	Yes	Yes
Advanced Connect™ Technology	NA	NA	NA	NA	NA	NA
Network Control / Display (both via LAN)	NA / NA	NA / NA	NA / NA	NA / NA	NA / NA	NA / NA
Wireless Display (optional)	NA	NA	NA	NA	NA	NA
Interactive	NA	NA	NA	NA	NA	NA
Dynamic Eco / Movie / Contrast	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes
3 sec on / 0 sec off	Yes	Yes	Yes	Yes	Yes	Yes
Low power	< 0.5W	< 0.5W	< 0.5W	< 0.5W	< 0.5W	< 0.5W
Auto Keystone	NA	NA	NA	NA	NA	NA
Presentation Timer	Yes	Yes	Yes	Yes	Yes	Yes
Sleep Timer	Yes	Yes	Yes	Yes	Yes	Yes
Password Protection / Keypad Lock	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Security Bar	NA	NA	Yes	Yes	Yes	Yes

### Dimension/Others

Dimension (W x D x H)	268 x 221 x 84.4 mm	268 x 221 x 84.4 mm	294 x 219 x 113 mm	294 x 219 x 113 mm	294 x 202 x 95 mm	268 x 221 x 84.4 mm
Net Weight	2.1 kgs	2.1 kgs	2.1 kgs	2.1 kgs	2.1 kgs	2.1 kgs

Join our dedicated channel partner portal: [www.finchclub.com](http://www.finchclub.com)

[www.viewsoniceurope.com](http://www.viewsoniceurope.com)

Projector Product Specification

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.

# VIEWSONIC Projector Products

Information correct from 1st March 2014



## NETWORK PROJECTORS

## HIGH BRIGHTNESS PROJECTORS



PJD6235



PJD6345



PJD6543W



PJD6544W



PJD7223



PJD7533W



Pro8600

### Product Specification

Resolution	XGA (1024 x 768)	XGA (1024 x 768)	WXGA (1280 x 800)	WXGA (1280 x 800)	XGA (1024 x 768)	WXGA (1280 x 800)	XGA (1024 x 768)
Brightness	3,000 lm	3,500 lm	3,000 lm	3,500 lm	4,000 lm	4,000 lm	6,000 lm
Contrast (w/ DCR)	15,000:1	15,000:1	15,000:1	15,000:1	15,000:1	15,000:1	15,000:1
Lamp Hour (Norm/ECO/DynamicEco)	5,000 / 6,000 / 10,000	3,500 / 5,000 / 7,000	5,000 / 6,000 / 10,000	3,500 / 5,000 / 7,000	3,000 / 4,000	2,500 / 3,500	2,500 / 3,000
Throw Ratio (Wide - Tele)	1.86 - 2.04	1.97 - 2.17	1.5 - 1.65	1.47 - 1.83	1.97 - 2.17	1.49 - 1.79	1.45 - 2.18
Optical Zoom	1.1x	1.1x	1.1x	1.2x	1.1x	1.2x	1.5x
Digital Zoom	2.0x	2.0x	2.0x	2.0x	2.0x	2.0x	Yes
Screen size	24" - 300"	30" - 300"	28" - 300"	30" - 300"	30" - 300"	30" - 300"	30" - 300"
Projection Offset	120% +/- 5%	130% +/- 10%	100% +/- 5%	125% +/- 10%	130% +/- 10%	130% +/- 10%	130% +/- 5%
Keystone (Vertical)	+/- 40°	+/- 40°	+/- 40°	+/- 40°	+/- 40°	+/- 40°	+/- 40°
Noise min (Normal/Eco)	32dB / 29dB	33dB / 30dB	32dB / 29dB	33dB / 30dB	36dB / 34dB	36dB / 34dB	34dB / 32dB
Speaker	2W x 1	16W x 1	2W x 1	16W x 1	2W x 1	16W x 1	20W (10W x 2)

### Input

RGB-in	2	2	2	2	2	2	2
Component Input	shared with RGB-in	shared with RGB-in	shared with RGB-in	shared with RGB-in	SHARED WITH RGB-IN	SHARED WITH RGB-IN	1
S-Video	1	1	1	1	1	1	1
Composite Input	1	1	1	1	1	1	1
Microphone in (3.5mm)	NA	Share with audio in 2	NA	Share with audio in 2	NA	1 (SHARE WITH AUDIO IN 2)	1
Audio-in (3.5mm)	1	2	1	2	2	2	2
Audio-in (RCA) (pair)	NA	NA	NA	NA	NA	NA	1
USB Type A	NA	1 (Card reader, wireless dongle)	NA	1 (USB Stick, wireless dongle)	NA	1 (WIRELESS DONGLE, CARD READER)	1 (WIRELESS DONGLE, JPEG SHOW)
USB Type B (mouse control via PC)	NA	1 (mouse, FW upgrade)	NA	1 (FW upgrade, mouse)	1 (FW UPGRADE, MOUSE)	1 (FW UPGRADE, MOUSE)	1 (FW UPGRADE, MOUSE)
Mini USB	1 (FW upgrade, mouse)	1 (USB display)	1 (FW upgrade, mouse)	1 (PC display)	NA	1 (USB DISPLAY)	1 (USB DISPLAY)
HDMI Input	HDMI (1.4) x 1	HDMI (1.4) x 1	HDMI (1.4) x 1	HDMI (1.4) x 1	NA	HDMI (1.4) x 1	HDMI (1.3) x 1
SD Card reader	NA	NA	NA	NA	NA	NA	NA

### Output

RGB-out	1	1	1	1	1	1	1
Audio-out (3.5mm)	1	1	1	1	1	1	1

### Control

RS232 (9 pin)	1	1	1	1	1	1	1
Network Management (RJ45)	1	1	1	1	NA	1	1
12V Power Trigger	NA	NA	NA	NA	NA	1	1

### Features

3D Compatible	Yes	Yes	Yes	Yes	Yes	Yes	Yes**
Advanced Connect™ Technology	NA	Yes	NA	Yes	NA	Yes	NA
Network Control / Display (both via LAN)	Yes / NA	Yes / Yes	Yes / Yes	Yes / Yes	NA / NA	Yes / Yes	Yes / Yes
Wireless Display (optional)	NA	Yes	Yes	Yes	NA	Yes	Yes
Interactive	NA	NA	NA	NA	NA	NA	NA
Dynamic Eco / Movie / Contrast	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes	NA / NA / Yes
3 sec on / 0 sec off	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Low power	< 0.5W	< 0.5W	< 0.5W	< 0.5W	< 0.5W	< 0.5W	< 0.5W
Auto Keystone	NA	NA	NA	NA	NA	NA	Yes
Presentation Timer	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Sleep Timer	Yes	Yes	Yes	Yes	Yes	Yes (AUTO POWER OFF)	Yes
Password Protection / Keypad Lock	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Security Bar	NA	Yes	NA	Yes	Yes	Yes	Yes

### Dimension/Others

Dimension (W x D x H)	268 x 221 x 84.4 mm	294 x 219 x 113 mm	268 x 221 x 84.4 mm	294 x 219 x 113 mm	335 x 265 x 128.3 mm	335 x 265 x 128.3 mm	333 x 263 x 122 mm
Net Weight	2.1 kgs	2.14 kgs	2.1 kgs	2.14 kgs	3.04 kg	3.04 kg	3.86 kg

Join our dedicated channel partner portal: [www.finchclub.com](http://www.finchclub.com)

[www.viewsoniceurope.com](http://www.viewsoniceurope.com)

Projector Product Specification

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.

# VIEWSONIC Projector Products

Information correct from 1st March 2014



## SHORT THROW PROJECTORS

## ULTRA SHORT THROW PROJECTORS



PJD5453S



PJD5483S



PJD6383S



PJD6683WS



PJD8633WS



PJD8353S



PJD8653WS

### Product Specification

Resolution	XGA (1024 x 768)	XGA (1024 x 768)	XGA (1024 x 768)	WXGA (1280 x 800)	WXGA (1280 x 800)	XGA (1024 x 768)	WXGA (1280 x 800)
Brightness	2,500 lm	3,000 lm	3,000 lm	3,000 lm	3,000 lm	3,000 lm	3,000 lm
Contrast (w/ DCR)	15,000:1	15,000:1	15,000:1	15,000:1	15,000:1	15,000:1	15,000:1
Lamp Hour (Norm/ECO/DynamicEco)	5,000 / 6,000 / 8,000	3,500 / 5,000 / 7,000	3,500 / 5,000	3,500 / 5,000	3,500 / 5,000 / 7,000	3,500 / 5,000 / 7,000	3,500 / 5,000 / 7,000
Throw Ratio (Wide - Tele)	0.62	0.62	0.61	0.5	0.375	0.43	0.35
Optical Zoom	NA	NA	Fixed	Fixed	Fixed	Fixed	Fixed
Digital Zoom	2.0x	2.0x	PC: 1.0x - 2.0x Video: 1.0x - 1.8x	PC: 1.0x - 2.0x Video: 1.0x - 1.8x	2.0x	2.0x	2.0x
Screen size	40" - 300"	40" - 300"	30" - 300"	30" - 300"	60" - 250"	47"-150"	47"-150"
Projection Offset	130% +/- 10%	130% +/- 10%	130% +/- 5%	130% +/- 5%	125% +/- 10%	128% +/- 5%	125% +/- 5%
Keystone (Vertical)	+/- 40°	+/- 40°	+/- 40°	+/- 40°	+/- 40°	+/- 40°	+/- 40°
Noise min (Normal/Eco)	32dB / 29dB	32dB / 29dB	33dB / 29dB	33dB / 29dB	33dB / 30dB	34dB / 32dB	34dB / 32dB
Speaker	2W x 1	2W x 1	10W x 1	10W x 1	16W x 1	8W x 2	8W x 2

### Input

RGB-in	2	2	2	2	2	2	2
Component Input	shared with RGB-in	shared with RGB-in	shared with RGB-in	shared with RGB-in	SHARED WITH RGB-IN	SHARED WITH RGB-IN	SHARED WITH RGB-IN
S-Video	1	1	1	1	1	1	1
Composite Input	1	1	1	1	1	1	1
Microphone in (3.5mm)	NA	NA	NA	NA	1 (SHARE WITH AUDIO IN 2)	1	1
Audio-in (3.5mm)	2	2	2	2	2	2	2
Audio-in (RCA) (pair)	NA	NA	NA	NA	NA	2	2
USB Type A	NA	NA	NA	NA	1 (WIRELESS DONGLE, CARD READER)	NA	NA
USB Type B (mouse control via PC)	1 (FW upgrade, mouse)	1 (FW upgrade, mouse)	1 (FW upgrade, mouse)	NA	1 (FW UPGRADE, MOUSE)	NA	NA
Mini USB	NA	NA	NA	1 (FW upgrade, mouse)	1 (USB DISPLAY)	1 (FW UPGRADE, MOUSE)	1 (FW UPGRADE, MOUSE)
HDMI Input	NA	HDMI (1.4) x 1	HDMI (1.3) x 1	HDMI (1.3) x 1	HDMI (1.4) x 1	HDMI (1.4) x 1	HDMI (1.4) x 1
SD Card reader	NA	NA	NA	NA	NA	NA	NA

### Output

RGB-out	1	1	1	1	1	1	1
Audio-out (3.5mm)	1	1	1	1	1	1	1

### Control

RS232 (9 pin)	1	1	1	1	1	1	1
Network Management (RJ45)	NA	NA	1	1	1	1	1
12V Power Trigger	NA	NA	NA	NA	1	NA	NA

### Features

3D Compatible	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Advanced Connect™ Technology	NA	NA	NA	NA	Yes	NA	NA
Network Control / Display (both via LAN)	NA / NA	NA / NA	Yes / NA	Yes / NA	Yes / Yes	Yes / NA	Yes / NA
Wireless Display (optional)	NA	NA	NA	NA	Yes	NA	NA
Interactive	NA	NA	NA	NA	Yes*	Yes*	Yes*
Dynamic Eco / Movie / Contrast	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes	Yes / Yes / Yes
3 sec on / 0 sec off	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Low power	< 0.5W	< 0.5W	< 1W	< 1W	< 0.5w	< 0.5w	< 0.5w
Auto Keystone	NA	NA	NA	NA	NA	NA	NA
Presentation Timer	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Sleep Timer	Yes	Yes	Yes	Yes	Yes (AUTO POWER OFF)	Yes (AUTO POWER OFF)	Yes (AUTO POWER OFF)
Password Protection / Keypad Lock	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Security Bar	Yes	Yes	Yes	Yes	Yes	Yes	Yes

### Dimension/Others

Dimension (W x D x H)	294 x 237 x 118 mm	294 x 294 x 118 mm	294 x 242 x 84 mm	294 x 242 x 84 mm	335 x 265 x 128.3 mm	357 x 367 x 231 mm	357 x 367 x 231 mm
Net Weight	2.1 kgs	2.1 kgs	2.99 kgs	2.99 kgs	3.64 kg	7.3 kg	7.3 kg

\* Using optional PJ\_PEN-003 (interactive module and 2x interactive pens)  
 \*\* Only using optional VF301 plus PGD250\*

Join our dedicated channel partner portal: [www.finchclub.com](http://www.finchclub.com)

[www.viewsoniceurope.com](http://www.viewsoniceurope.com)

Projector Product Specification

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.

# VIEWSONIC Projector Products

Information correct from 1st March 2014

**ViewSonic®**  
See the difference™ 

## HIGH DEFINITION PROJECTORS



PJD7820HD



PRO8200



PRO8400



PRO8520HD



PRO9000

### Product Specification

Resolution	1080p (1920 x 1080)	1080p (1920 x 1080)	1080p (1920 x 1080)	1080p (1920 x 1080)	1080p (1920 x 1080)
Brightness	3,000lm	2,000lm	4,000lm	5,000lm	1,600lm
Contrast (w/ DCR)	15,000:1	3,000:1	3,000:1	15,000:1	100,000:1
Lamp Hour (Norm/ECO/DynamicEco)	5,000 / 6,000 / 8,000	2,500 / 4,000	2,000 / 3,000	2,500 / 3,000	20,000
Throw Ratio (Wide - Tele)	1.15 - 1.5	1.4 - 2.14	1.4 - 2.14	1.4 - 2.14	1.5 - 1.8
Optical Zoom	1.2x	1.5x	1.5x	1.5x	1.2x
Digital Zoom	2.0x	Yes	Yes	Yes	Yes
Screen size	30" - 300"	30" - 300"	30" - 300"	30" - 300"	38" - 150"
Projection Offset	130% +/- 10%	168% +/- 5%	168% +/- 5%	168% +/- 5%	116% +/- 5%
Keystone (Vertical)	+/- 40°	+/- 20°	+/- 20°	+/- 20°	+/- 15°
Noise min (Normal/Eco)	35dB / 29dB	31dB / 27dB	34dB / 29dB	34dB / 32dB	33dB / 25dB
Speaker	2W x 1	20W (10W x 2)	20W (10W x 2)	20W (10W x 2)	2W x 1

### Input

RGB-in	2	2	2	2	1
Component Input	shared with RGB-in	1	1	1	share with RGB-in
S-Video	1	1	1	1	1
Composite Input	1	1	1	1	1
Microphone in (3.5mm)	NA	1	1	1	NA
Audio-in (3.5mm)	1	2	2	2	1
Audio-in (RCA) (pair)	NA	1	1	1	NA
USB Type A	NA	1 (FW upgrade, mouse)	1 (Wireless dongle, jpeg show)	1 (Wireless dongle, jpeg show)	NA
USB Type B (mouse control via PC)	NA	NA	NA	NA	NA
Mini USB	1 (FW upgrade, mouse)	NA	1 (USB display)	1 (USB display)	NA
HDMI Input	HDMI (1.4) x 1	HDMI (1.3) x 2	HDMI (1.3) x 2	HDMI (1.3) x 2	HDMI (1.4) x 2
SD Card reader	NA	NA	NA	NA	NA

### Output

RGB-out	1	1	1	1	NA
Audio-out (3.5mm)	1	1	1	1	1

### Control

RS232 (9 pin)	1	1	1	1	1
Network Management (RJ45)	NA	NA	1	1	NA
12V Power Trigger	NA	1	1	1	NA

### Features

3D Compatible	Yes	NA	NA	NA	NA
Advanced Connect™ Technology	NA	NA	NA	NA	NA
Network Control / Display (both via LAN)	NA / NA	NA / NA	Yes / Yes	Yes / Yes	NA / NA
Wireless Display (optional)	NA	NA	Yes	Yes	NA
Interactive	NA	NA	NA	NA	NA
Dynamic Eco / Movie / Contrast	Yes / Yes / Yes	NA / NA / Yes	NA / NA / Yes	NA / NA / Yes	NA / NA / Yes
3 sec on / 0 sec off	Yes	Yes	Yes	Yes	Yes
Low power	< 0.5W	< 1w	< 1w	< 1w	< 0.5w
Auto Keystone	NA	Yes	Yes	Yes	NA
Presentation Timer	Yes	NA	Yes	Yes	NA
Sleep Timer	Yes	Yes	Yes	Yes	Yes
Password Protection / Keypad Lock	Yes / NA	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Security Bar	NA	Yes	Yes	Yes	Yes

### Dimension/Others

Dimension (W x D x H)	268 x 221 x 84.4 mm	333 x 263 x 122 mm	333 x 263 x 122 mm	333 x 263 x 122 mm	321 x 247.5 x 110.5 mm
Net Weight	3.86 kg	3.86 kg	3.86 kg	3.86 kg	3.86 kg

Join our dedicated channel partner portal: [www.finchclub.com](http://www.finchclub.com)

[www.viewsoniceurope.com](http://www.viewsoniceurope.com)